PATENT APPLICATION TRANSMITTAL LETTER (Large Entity)

Docket No. 1038-865 MIS

TO THE ASSISTANT COMMISSIONER	FOR	PATENTS
-------------------------------	-----	---------

TO THE AGGISTARY COMMISSIONER FOR PATENTS						
		5 U.S.C. 111 an	nd 37 C.F.R. 1	.53 is th	ne patent application of:	P TO
Connaught Laboratorie	as Limited					.s. 0246 98
For:						13 13
ALPHAVIRUS VECTO	ORS FOR PAR	AMYXOVIRUS	VACCINES			jc 5 1
☐ Certificate of Maili	inc with Expres	s Mall Mailing Lr	≘hal No.			
	sheets of d	_	ADG 17G.			
A certified copy of		The second second	application.			
Declaration Dower of Attorney	☐ Signed.	☐ Unsigned.	•			
Information Disclo	sure Statement	t				
Preliminary Amen	dment					
Other:						
		CLAIMS	AS FILED	.,,		
For	#Filed	#Allowed	#Extra		Rate	Fee
Total Claims	38	- 20 =	18	x	\$22.00	\$396.00
Indep. Claims	3	- 3 =	0	x	\$82.00	\$0.00
Multiple Dependent C	laims (check If	/ applicable)				\$0.00
					BASIC FEE	\$790.00
					TOTAL FILING FEE	\$1,186.00
A check in the amount of \$1,186.00 to cover the filing fee is enclosed. The Commissioner is hereby authorized to charge and credit Deposit Account No. as described below. A duplicate copy of this sheet is enclosed. Charge the amount of as filing fee. Credit any overpayment. Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17. Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).						
co:						

PO1LARGE/REV06

MIS 1038-864 1998 11 13 D2 TITLE OF INVENTION

ALPHAVIRUS VECTORS FOR PARAMYXOVIRUS VACCINES

5

10

15

20

25

30

FIELD OF INVENTION

The present invention relates to the field of paramyxoviridae vaccines and is particularly concerned with vaccines comprising DNA encoding the fusion (F) protein of respiratory syncytial virus (RSV) in an alphavirus vector.

BACKGROUND OF THE INVENTION

Human respiratory syncytial virus (RSV) has been identified as a major pathogen responsible for severe respiratory tract infections in infants, young children and the institutionalized elderly (refs. throughout this application, various references are cited in parentheses to describe more fully the state of the art to which this invention pertains. bibliographic information for each citation is found at the end of the specification, immediately preceding the claims. The disclosures of these references are hereby incorporated by reference into the present disclosure). Global mortality and morbidity figures indicate that there is an urgent need for an efficacious RSV vaccine (refs. 5,6). In the USA alone, approximately 100,000 children are hospitalized annually with severe cases of pneumonia and bronchiolitis resulting from an RSV Inpatient and ambulatory care for children with RSV infections has been estimated to cost in excess of \$340 million each year in the USA. The World Health Organization (WHO) and the National Institute of Allergy Infectious Disease (NIAID) vaccine advisory and

10

15

20

25

30

.

:11-13-98 : 3:35PM :

`

committees have ranked RSV second only to HIV for vaccine development. Both the annual morbidity and mortality figures as well as the staggering health care costs for managing RSV infections have provided the incentive for aggressively pursuing the development of efficacious RSV vaccines. However, such a vaccine is still not available.

Formalin-inactivated (FI-RSV) and live attenuated RSV vaccines have failed to demonstrate efficacy in clinical trials (refs. 7,8,9,10). Moreover, the formalin-inactivated RSV vaccine caused enhanced disease in some children following exposure to wild-type RSV (refs. 7,8,9,10). Elucidation of the mechanism(s) involved in the potentiation of RSV disease is important for the design of safe RSV vaccines, especially for the seronegative population. Recent experimental evidence suggests that an imbalance in cell-mediated responses may contribute to immunopotentiation. histopathology observed in mice that were immunized with the FI-RSV and challenged with virus could be abrogated by depletion of CD4+ cells or both interleukin-4 (IL-4) and IL-10.

The RSV fusion (F) glycoprotein is one of the major immunogenic proteins of the virus. This envelope glycoprotein mediates both fusion of the virus to the host cell membrane and cell-to-cell spread of the virus (ref. 1). The F protein is synthesized as a precursor (F₀) molecule which is proteolytically cleaved to form a disulphide-linked dimer composed of the N-terminal F₂ and C-terminal F₁ moieties (ref. 11). The amino acid sequence of the F protein is highly conserved among RSV

10

15

20

25

30

3

subgroups A and B and is a cross-protective antigen (refs. 6,12). In the baculovirus expression system, a truncated secreted version of the RSV F protein has been expressed in *Trichoplusia ni* insect cells (ref. 13). The recombinant protein was demonstrated to be protective in the cotton rats (ref. 13).

Studies on the development of live viral vaccines and glycoprotein subunit vaccines against parainfluenza virus infection are being pursued. Clinical trial results with a formalin-inactivated PIV types 1,2,3 vaccine demonstrated that this vaccine efficacious (refs. 14, 15, 16). Further development of chemically-inactivated vaccines was discontinued after clinical trials with a formalin-inactivated RSV vaccine demonstrated that not only was the vaccine not effective in preventing RSV infection but many of the vaccinees who later become infected with RSV suffered a more serious disease. Most of parainfluenza vaccine research has focused on candidate PIV-3 vaccines (ref. 17) with significantly less work being reported for PIV-1 and PIV-2. Recent approaches to PIV-3 vaccines have included the use of the closely related bovine parainfluenza virus type 3 and the generation of attenuated viruses by cold-adaptation of the virus (refs. 18, 19, 20, 21).

Another approach to parainfluenza virus type 3 vaccine development is a subunit approach focusing on the surface glycoproteins hemagglutinin-neuraminidase (HN) and the fusion (F) protein (refs. 22, 23, 24). The HN antigen, a typical type II glycoprotein, exhibits both haemagglutination and neuraminidase activities and

;11-13-98 ; 3:36PM ;

The state of the s 10 15

20

25

30

is responsible for the attachment of the virus to sialic acid containing host cell receptors. The type I F glycoprotein mediates fusion of the viral envelope with the cell membrane as well as cell to cell spread of the virus. It has recently been demonstrated that both the HN and F glycoproteins are required for membrane fusion. The F glycoprotein is synthesized as an inactive precursor (F) which is proteolytically cleaved into disulfide-linked F2 and F1 moieties. While the HN and F proteins of PIV-1, -2 and -3 are structurally similar, antigenically distinct. Neutralizing are antibodies against the HN and F proteins of one of PIV type are not cross-protective. Thus, an effective PIV subunit vaccine must contain the HN and F glycoproteins from the three different types of parainfluenza viruses. Antibody to either glycoprotein is neutralizing in vitro. A direct correlation has been observed between the level of neutralizing antibody titres and resistance to PIV-3 infections in infants. Native subunit vaccines for parainfluenza virus type 3 have investigated the protectiveness of the two surface glycoproteins, Typically, the glycoproteins are extracted from virus using non-ionic detergents and further purified using lectin affinity or immunoaffinity chromatographic methods. However, neither of these techniques may be entirely suitable for large scale production of vaccines under all circumstances. In small animal protection models (hamsters and cotton rats), immunization with the glycoproteins was demonstrated to prevent infection with live PIV-3 (refs. 25, 26, 27, 28, 29).

20

25

-

The HN and F glycoproteins of PIV-3 have also been produced using recombinant DNA technology. glycoproteins have been produced in insect cells using the baculovirus expression system and by use of vaccinia virus and adenovirus recombinants (refs. 30, 31, 32, 33, In the baculovirus expression system, both fulllength and truncated forms of the PIV-3 glycoproteins as well as a chimeric F-HN fusion protein have been expressed. The recombinant proteins have demonstrated to be protective in small animal models (see WO91/00104, US Application No. 07/773,949 filed November 29, 1991, assigned to the assignee hereof).

Semliki Forest virus (SFV) is a member of the Alphavirus genus in the Togaviridae family. The mature virus particle contains a single copy of a ssRNA genome with a positive polarity that is 5'-capped and 3'polyadenylated. It functions as an mRNA and naked RNA can start an infection when introduced into cells. Upon infection/transfection, the 5' two-thirds of the genome is translated into a polyprotein that is processed into the four nonstructural proteins (nsPl to 4) by self cleavage. Once the ns proteins have been synthesized they are responsible for replicating the plus-strand (42S) genome into full-length minus strands (ref. 14). These minus-strands then serve as templates for the synthesis of new plus-strand (428) genomes and the 268 subgenomic mRNA (ref. 14). This subgenomic mRNA, which is colinear with the last one-third of the genome, encodes the SFV structural proteins.

In 1991 Liljestrom and Garoff (ref. 15) designed a series of expression vectors based on the SFV cDNA

10

15

20

25

6

replicon. These vectors had the virus structural protein genes deleted to make the way for heterologous inserts, but preserved the nonstructural coding region for production of the nsPl to 4 replicase complex.

Short 5' and 3' sequence elements required for RNA replication were also preserved. A polylinker site was inserted downstream from the 26S promoter followed by translation stop sites in all three frames. An SpeI site was inserted just after the 3' end of the SFV cDNA for linearization of the plasmid for use in vitro transcription reactions.

Injection of SFV RNA encoding a heterologous protein have been shown to result in the expression of the foreign protein and the induction of antibody in a number of studies (refs. 16,17). The use of SFV RNA inoculation to express foreign proteins for the purpose of immunization would have several of the advantages associated with plasmid DNA immunization. For example, SFV RNA encoding a viral antigen may be introduced in the presence of antibody to that virus without a loss in potency due to neutralization by antibodies to the Also, because the protein is expressed in vivo the protein should have the same conformation as the protein expressed by the virus itself. concerns about conformational changes which could occur during protein purification leading to immunogenicity, protective epitopes and possibly immunopotentiation, could be avoided by plasmid DNA immunization.

In copending US Patent Application No. 08/476,397 filed June 7, 1995, assigned to the assignee hereof and

10

15

30

7

the disclosure of which is incorporated herein by reference (WO96/040945), there is described reference the use of plasmid vectors containing RSV F protein-encoding DNA for DNA immunization against RSV infection. In copending United States Patent Application No. 08/896,500 filed July 18, 1997, assigned to the assignee hereof and the disclosure of which is incorporated herein by reference, there is described the use of plasmid vectors containing RSV G protein-encoding DNA for DNA immunization against RSV infection.

In my copending United States Patent Application No. 08/923,558, filed September 4, 1997, assigned to the assignee hereof and the disclosure of which is incorporated by reference, I describe a DNA vector using an alphavirus vector, including Semliki Forest virus vector, containing a DNA sequence encoding a paramyxovirus protein, specifically RSV-F, for making an RNA transcript for immunization.

WO95/27044, the disclosure of which 20 incorporated herein by reference, there is described the alphavirus cDNA vectors based on cDNA complementary to the alphavirus RNA sequence. transcribed from the cDNA under transcriptional control of a heterologous promoter, the alphavirus RNA is able 25 to self-replicate by means of its own replicase and thereby amplify the copy number of the transcribed recombinant RNA molecules.

Infection with RSV leads to serious disease. It would be useful and desirable to provide improved vectors for *in vivo* administration of immunogenic preparations, including vaccines, for protection against

10

:11-13-98 ; 3:38PM ;

disease caused by RSV and other paramyxoviruses. particular, it would be desirable to provide vaccines that are immunogenic and protective in humans, including that do seronegative infants, not cause enhancement (immunopotentiation).

SUMMARY OF THE INVENTION

The present invention provides novel immunogenic materials and immunization procedures based on such novel materials for immunizing against disease caused by respiratory syncytial virus. In particular, the present invention is directed towards the provision of DNA vaccines against disease caused by infection with paramyxoviridae.

In accordance with one aspect of the present invention, there is provided a vector, comprising a 15 first DNA sequence which is complementary to at least part of an alphavirus RNA genome and having the complete alphavirus ofcomplement RNA replication regions to permit in vivo replication; a 20 second DNA sequence encoding a paramyxovirus protein or a protein fragment that generates antibodies that specifically react with the paramyxovirus protein, the second DNA sequence being inserted into a region of the first DNA sequence which is non-essential replication; the first and second DNA sequences being 25 under transcriptional control of a promoter; and a third DNA sequence located adjacent the second DNA sequence to enhance the immunoprotective ability of the paramyxovirus protein when expressed in vivo from the 30 vector in a host.

and the second s

10

15

20

5

The paramyxovirus protein may be selected from the group consisting of a parainfluenza virus (PIV) and a respiratory syncytial virus (RSV). The PIV protein may be from PIV-1, PIV-2, PIV-3 or PIV-4, particularly the HN and F glycoproteins of PIV-3. The RSV protein particularly may be the F or G glycoprotein of RSV.

The second DNA sequence may encode a full length RSV F protein, or may encode a RSV F protein lacking the transmembrane anchor and cytoplasmic tail. The lack of the coding region for the transmembrane anchor and cytoplasmic tail results in a secreted form of the RSV F protein. Alternatively, as described in the aforementioned U.S. Patent Application 08/896,500, the second DNA sequence may encode the full-length RSV-G protein or a truncated RSV G protein lacking a transmembrane region, resulting in a secreted form of the protein.

The alphavirus preferably is a Semliki Forest virus and the first DNA sequence is the Semliki Forest viral sequence contained in plasmid pSFVI.

The third nucleotide sequence may comprise a pair of splice sites to prevent aberrant mRNA splicing, in vivo, whereby substantially all transcribed mRNA from the vector upon administration encodes the RSV protein.

Such third nucleotide sequence is preferably located between the first nucleotide sequence and the promoter sequence. Such third nucleotide sequence may be that of rabbit β -globin intron II, as shown in Figure 8 of copending U.S. Patent Application No. 08/476,397 (WO 96/040945).

15

20

25

30

10

:11-13-98 : 3:39PM ;

The promoter sequence may be an immediate early cytomegalovirus (CMV) promoter. The human cytomegalovirus Intron A sequence may be provided downstream of the promoter and upstream of the third nucleotide sequence.

A vector encoding the F protein and provided in accordance with one embodiment of the invention may specifically be pMP44, having the identifying characteristics shown in Figure 1D.

The vectors provided herein may be used to immunize a host against RSV infection or disease by in vivo expression of RSV F protein or RSV G protein, which may lack a transmembrane region, or other paramyxovirus protein, following administration of the vectors. accordance with a further aspect of the present invention, therefore, there is provided a method of immunizing a host against disease caused by infection with respiratory syncytial virus or other paramyxovirus, which comprises administering to the host an effective amount of a vector provided herein.

The present invention also includes a novel method of using a gene encoding an RSV F or G protein or a fragment of an RSV or G protein capable of generating antibodies which specifically react with RSV F or G protein to protect a host against disease caused by infection with respiratory syncytial virus, comprises isolating the gene; operatively linking said gene to a DNA sequence which is complementary to at least part of an alphavirus RNA genome and having the complement of complete alphavirus RNA genome replication regions in a region of said DNA sequence which is non-

15

20

25

30

11

;11-13-98 ; 3:39PM ;

essential for replication to form a vector wherein said gene and DNA sequence are under transcriptional control of a promoter; operatively linking the gene to immunoprotection enhancing sequence to produce an enhanced immunoprotection by the RSV F or G protein in the host, preferably by introducing the immunoprotection enhancing sequence between the control sequence and the alphavirus sequence; and introducing the vector into the A corresponding procedure may be used for other paramyxoviridae.

In addition, the present invention includes a method of producing a vaccine for protection of a host against disease caused by infection with respiratory syncytial virus (RSV), which comprises isolating a first DNA sequence encoding an RSV or G protein, from which the transmembrane anchor and cytoplasmic tail may be absent; operatively linking said first DNA sequence to a second DNA sequence which is complementary to at least part of an alphavirus RNA genome and having the complete alphavirus genome replication regions in a region of said second DNA sequence which is non-essential for replication to form a vector wherein said first and second DNA sequences are under transcriptional control of a promoter; operatively linking the first nucleotide sequence to a third nucleotide sequence to enhance the immunoprotective ability of the RSV F or G protein when expressed in vivo from the vector in a host: formulating the vector as a vaccine for in vivo A corresponding procedure may be used administration. for other paramyxoviridae.

15

12

;11-13-98 ; 3:40PM ;

The present invention further includes a vaccine for administration to a host, including a human host, produced by the method as well as immunogenic compositions comprising an immunoeffective amount of the vectors described herein.

BRIEF DESCRIPTION OF DRAWINGS

Figures 1A to 1B show a schematic of a procedure of assembly of vector pMP44;

Figures 2A to 2B show a schematic of a procedure of 10 assembly of vector pMP44;

Figures 3A to 3E contain the nucleotide sequence of plasmid pMP44 (SEQ ID NO:1);

Figure 4 shows the anti-RSV F titres in sera from mice taken 4 weeks after priming and 2 weeks after boosting;

Figure 5 shows the nucleotide sequence for a synthetic oligonucleotide coding for the hepatitis delta ribozyme (SEQ ID no; 2,3); and

Figures 6A to 6C show the nucleotide sequence for the SFV EcoRV-SpeI fragment ligated to the ribozyme of Figure 5 (SEQ ID no: 4).

SIMBAS→

10

15

20

25

13 GENERAL DESCRIPTION OF INVENTION

;11-13-98 ; 3:40PM ;

described above, the present invention, general, relates to protection of hosts against disease caused by infection by paramyxovirus by DNA immunization In particular, the invention is using DNA vectors. concerned with protection of hosts against disease caused by infection by respiratory syncytial virus (RSV), although not specifically limited thereto. description which follows refers specifically employing DNA sequences encoding RSV F or G protein and thereof which generate antibodies which fragments specifically react with RSV F or G protein.

In this application, the terms "RSV F protein" and "RSV G protein" are used to define a full-length RSV F or G protein, including proteins having variations in their amino acid sequences including those naturally occurring in various strain of RSV and those introduced by PCR amplification of the encoding gene while retaining the immunogenic properties, a secreted form of the RSV F or G protein lacking a transmembrane anchor and cytoplasmic tail, as well as fragments capable of generating antibodies which specifically react with RSV F or G protein and functional analogs. application, a first protein is a "functional analog" of a second protein if the first protein is immunologically related to and/or has the same function as the second The functional analog may be, for example, a fragment of the protein or a substitution, addition or deletion mutant thereof.

30 A vector is constructed to contain a first DNA sequence which is complementary to at least part of an

;11-13-98 ; 3:41PM ;

alphavirus RNA genome, specifically Semliki virus, and having the complement of complete alphavirus RNA genome replication regions to permit replication in A second DNA sequence encoding the RSV F or G protein is inserted into a region of the first DNA sequence which is non-essential for replication. first and second DNA sequences are under transcriptional control of a promoter to permit expression of the RSV protein in a host immunized with the vector.

10 The promoter sequence may be the immediately early cytomegalovirus (CMV) promoter. This promoter described in ref. 36. Any other convenient promoter may be used, including constitutive promoters, such as, Rous Sarcoma Virus LTRs, and inducible promoters, such as metallothionine promoter, and tissue specific promoters. 15

recombinant vector may include nucleotide sequence located adjacent the alphavirus sequence to enhance the immunoprotective ability of the RSV F or G protein when expressed in vivo in a host.

- 20 Such enhancement may be provided by increased in vivo expression, for example, by increased mRNA stability, enhanced transcription and/or translation. additional sequence preferably is located between the promoter sequence and the alphavirus sequence.
- 25 This enhancement sequence may comprise a pair of splice sites to prevent aberrant mRNA splicing during transcription so that substantially all transcribed mRNA is intact alphavirus RNA encoding a gene of interest, for example, an RSV F protein. Specifically, rabbit β globin Intron II sequence may provide such splice sites, 30 as also described in ref. 37.

15

20

15

Additional enhancement may be obtained by, including an additional DNA sequence between the promoter and the enhancer sequence. Such additional DNA sequence may comprise the immediate early cytomegalovirus Intron A sequence.

The vectors provided herein, when administered to an animal, effect in vivo RSV F protein expression, as demonstrated by an antibody response in the animal to which it is administered and the conferring of protection. As may be seen from the results detailed in the Examples below, the DNA vectors produced a high anti-F IgG antibody titre and confer protection.

In comparison to the vectors described in the aforementioned U.S. Patent Application nos.08/476,397 and 08/896,500, the vectors described herein provide a protective immune response using a lower dose and less time. In comparison to the vectors described in the aforementioned U.S. Patent Application nos. 08/923,558,08/896,550 and 08/476,397 using native RSV F, the vectors described herein produce protective immune response in the absence of pretreatment of the animal model with cardiotoxin, a material known to increase the uptake of DNA and enhance the immune response.

The vector provided herein may also comprise a fourth nucleotide sequence encoding a further antigen from RSV, an antigen from at least one other pathogen or at least one immunomodulating agent, such as cytokine. Such vector may contain said fourth nucleotide sequence in a chimeric or a bicistronic structure. Alternatively, vectors containing the fourth nucleotide sequence may be

;11-13-98 ; 3:42PM ;

separately constructed and coadministered to a host, with the DNA vector provided herein.

In addition, there may be provided at the 3'-end of the Simliki Forest virus segment, a hepatitis delta virus ribosyme sequence to ensure proper in cleavage at the 3'-end of the Simliki Forest virus sequence. Any other convenient sequence may be employed to achieve this effect.

It is clearly apparent to one skilled in the art, that the various embodiments of the present invention 10 have many applications in the fields of vaccination, diagnosis and treatment of RSV infections. A further non-limiting discussion of such uses is further presented below.

15 Vaccine Preparation and Use

Immunogenic compositions, suitable to be used as vaccines, may be prepared from the RSV F or RSV G genes and other paramyxovirus genes and vectors as disclosed The vaccine elicits an immune response in a subject which includes the production of anti-F or anti-20 G antibodies. Immunogenic compositions, vaccines, containing the DNA vector may be prepared as injectables, physiologically-acceptable in solutions oremulsions for polynucleotide administration. The nucleic acid may be associated with 25 liposomes, such as lecithin liposomes or other liposomes known in the art, as a nucleic acid liposome (for example, as described in WO 93/24640, ref. 38) or the DNA vector may be associated with an adjuvant, described in more detail below. Liposomes comprising 30 cationic lipids interact spontaneously and rapidly with

15

20

17

;11-13-98 ; 3:42PM ;

polyanions such as DNA and RNA, resulting liposome/nucleic acid complexes that capture up to 100% of the polynucleotide. In addition, the polycationic complexes fuse with cell membranes, resulting in an intracellular delivery of polynucleotide that bypasses the degradative enzymes of the lysosomal compartment. Published PCT application 94/27435 WO describes compositions for genetic immunization comprising cationic lipids and polynucleotides. Agents which assist in the cellular uptake of nucleic acid, such as calcium ions, viral proteins and other transfection facilitating agents, may advantageously be used.

Polynucleotide immunogenic preparations may also be formulated as microcapsules, including biodegradable time-release particles. Thus, U.S. Patent 5,151,264 describes a particulate carrier $\circ f$ phospholipid/glycolipid/polysaccharide nature that has been termed Bio Vecteurs Supra Moléculaires (BVSM). The particulate carriers are intended to transport a variety of molecules having biological activity in one of the layers thereof.

U.S. Patent 5,075,109 describes encapsulation of the antigens trinitrophenylated keyhole hemocyanin and staphylococcal enterotoxin B in 50:50 25 (DL-lactideco-glycolide). Other polymers , encapsulation are suggested, such as poly(glycolide), poly(DL-lactide-co-glycolide), copolyoxalates, polycaprolactone, poly(lactide-co-caprolactone), poly(esteramides), polyorthoesters and poly(8hydroxybutyric acid), and polyanhydrides. 30

ending the filter of the first of the second of the second

18

Published PCT application WO 91/06282 describes a delivery vehicle comprising a plurality of bioadhesive microspheres and antigens. The microspheres being of starch, gelatin, dextran, collagen or albumin. This delivery vehicle is particularly intended for the uptake of vaccine across the nasal mucosa. The delivery vehicle may additionally contain an absorption enhancer.

The RSV F or G genes and vectors may be mixed with pharmaceutically acceptable excipients which 10 compatible therewith. Such excipients may include, water. saline, dextrose, glycerol, ethanol, combinations thereof. The immunogenic compositions and vaccines may further contain auxiliary substances, such as wetting or emulsifying agents, pH buffering agents, 15 or adjuvants to enhance the effectiveness thereof. Immunogenic compositions and vaccines administered parenterally, by injection subcutaneously, intravenously, intradermally orintramuscularly, possibly following pretreatment of the injection site 20 with local anaesthetic. Alternatively, immunogenic compositions formed according to the present invention, may be formulated and delivered in a manner to evoke an immune response at mucosal surfaces. immunogenic composition may be administered to musosal surfaces by, for example, the masal or oral 25 (intragastric) routes. Alternatively, other modes of administration including suppositories and formulations may be desirable. For suppositories, binders and carriers may include, for example, 30 polyalkalene glycols ortriglycerides. Oral formulations may include normally employed incipients,

10

15

20

25

19

:11-13-98 : 3:44PM ;

such as, for example, pharmaceutical grades saccharine, cellulose and magnesium carbonate.

The immunogenic preparations and vaccines administered in a manner compatible with the dosage formulation, and in such amount as will be therapeutically effective, protective and immunogenic. The quantity to be administered depends on the subject to be treated, including, for example, the capacity of the individual's immune system to synthesize the RSV F protein and antibodies thereto, and if needed, to produce a cell-mediated immune response. Precise amounts of active ingredient required to be administered depend on the judgment of the practitioner. suitable dosage ranges are readily determinable by one skilled in the art and may be of the order of about 1 µg to about 1 mg of the RSV F or G genes and vectors. Suitable regimes for initial administration and booster doses are also variable, but may include an initial administration followed by subsequent administrations. dosage may also depend onthe route of administration and will vary according to the size of the host. A vaccine which protects against only one pathogen is a monovalent vaccine. Vaccines which contain antigenic material of several pathogens are compined vaccines and also belong to the present invention. Such combined vaccines contain, for example, material from various pathogens or from various strains of the same pathogen, or from combinations of various pathogens.

30 In particular embodiments of the present invention, the vector comprising a first nucleotide sequence

.

encoding an F or G protein of RSV may be delivered in conjunction with a targeting molecule to target the vector to selected cells including cells of the immune system.

The DNA vectors may be delivered to the host by a variety of procedures, for example, Tang et al. (ref. 39) disclosed that introduction of gold microprojectiles coated with DNA encoding bovine growth hormone (BGH) into the skin of mice resulted in production of anti-BGH antibodies in the mice, while Furth et al. (ref. 40) showed that a jet injector could be used to transfect skin, muscle, fat and mammary tissues of living animals.

2. Immunoassays

The RSV F or G genes and vectors of the present invention are useful as immunogens for the generation of 15 anti-F or anti-G antibodies for use in immunoassays, including enzyme-linked immunosorbent assays (ELISA), RIAs and other non-enzyme linked antibody binding assays or procedures known in the art. In ELISA assays, the vector first is administered to a host to generate 20 antibodies specific to the RSV F or G protein or other paramyxovirus protein. These RSV F- or G-specific antibodies are immobilized onto a selected surface, for example, a surface capable of binding the antibodies, such as the wells of a polystyrene microtiter plate. 25 washing to remove incompletely adsorbed antibodies, a nonspecific protein such as a solution of bovine serum albumin (BSA) that is known antigenically neutral with regard to the test sample may 30 be bound to the selected surface. This allows for blocking of nonspecific adsorption sites on

15

20

25

;11-13-98 : 3:45PM ;

į

21

immobilizing surface and thus reduces the background caused by nonspecific bindings of antisera onto the surface.

The immobilizing surface is then contacted with a sample, such as clinical or biological materials, to be in a manner conducive to tested immune complex (antigen/antibody) formation. This procedure include diluting the sample with diluents, such as solutions of BSA, bovine gamma globulin (BGG) and/or phosphate buffered saline (PBS)/Tween. The sample is then allowed to incubate for from about 2 to 4 hours, at temperatures such as of the order of about 20° to 37°C. Following incubation, the sample-contacted surface is washed to remove non-immunocomplexed material. washing procedure may include washing with a solution, such as PBS/Tween or a borate buffer. formation of specific immunocomplexes between the test sample and the bound RSV F specific antibodies, and subsequent washing, the occurrence, and even amount, of immunocomplex formation may be determined.

Biological Deposits

Certain vectors that contain the gene encoding RSV F protein and referred to herein have been deposited with the American Type Culture Collection (ATCC) located at 10801 University Boulevard, Manassas, VA 20110-2209, U.S.A., pursuant to the Budapest Treaty and prior to the filing of this application.

Samples of the deposited plasmids will become available to the public upon grant of a patent based upon this United States patent application and all restrictions on access to the deposits will be removed

at that time. Non-viable deposits will be replaced.

The invention described and claimed herein is not to be limited in scope by plasmids deposited, since the deposited embodiment is intended only as an illustration of the invention. Any equivalent or similar plasmids that encode similar or equivalent antigens as described in this application are within the scope of this invention.

Deposit Summary

10 Plasmid ATCC Designation Date Deposited pMP37 97905 Feb. 27, 1997 pMP42

EXAMPLES

The above disclosure generally describes A more complete understanding can present invention. 15 be obtained by reference to the following specific Examples. These Examples are described solely for purposes of illustration and are not intended to limit the scope of the invention. Changes in form and substitution of equivalents are contemplated circumstances may suggest or render expedient. Although specific terms have been employed herein, such terms are intended in a descriptive sense and not for purposes of limitations.

25 Methods of molecular genetics, protein biochemistry and immunology used but not explicitly described in this disclosure and these Examples are amply reported in the scientific literature and are well within the ability of those skilled in the art.

...

10

23

EXAMPLE 1

This Example describes a scheme for construction of a Semliki Forest Virus (SFV) DNA expression vector containing a truncated RSV F gene as outlined in Figures 1A to 1B.

Plasmid VR1012 was restricted with PstI and then made blunt-ended with T4 DNA polymerase. The ß-globin Intron II was exised out of vector pSG5 (Stratagene) and ligated into plasmid VR1012 to generate plasmid pIIE. Plasmid pIIE was then restricted with SalI and EcoRV and ligated to a PCR fragment having the nucleotide sequence:

TCGACATGGCGGATGTGTGACATACACGACGCCAAAAGATTTTGTTCCAGCT

CCTGCCACCTCCGCTACGCGAGAGATTAACCACCCACGATGGCCGCCAAAGT

GCATGTTGATATTGAGGCTGACAGCCCATTCATCAAGTCTTTGCAGAAGGCA

TTTCCGTCGTTCGAGGTGGAGTCATTGCAGGTCACACCAAATGACCATGCAA

ATGCCAGAGCATTTTCGCACCTGGCTACCAAATTGATCGAGCAGGAGACTGA

CAAAGACACACTCATCTTGGAT (SEQ ID no: 7) generated from

pSFVI with primers SAL-SFV having the nucleotide

sequence 5'-TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no:

5) and ECO-SFV having the nucleotide sequence 5'
TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no: 6). The

resulting plasmid pMP38 was then restricted with EcoRV

ECORV/BamH1 restricted pMP38 to produce pMP41.

20

25

30

3).

24

Example 2

This Example describes an alternative scheme for constructing plasmid pMp44 as outlined in Figure 2.

Plasmid VR1012 was restricted with PstI and then made blunt-ended with T4 DNA polymerase. The S-globin Intron II was exised out of vector pSG5 (Stratagene) and ligated into plasmid VR1012 to generate plasmid pIIE. Plasmid pIIE was then restricted with SalI and EcoRV and ligated to a PCR fragment having the nucleotide sequence:

TCGACATGGCGGATGTGTGACATACACGACGCCAAAAGATTTTGTTCCAGCT CCTGCCACCTCCGCTACGCGAGAGATTAACCACCCACGATGGCCGCCAAAGT GCATGTTGATATTGAGGCTGACAGCCCATTCATCÁAGTCTTTGCAGAAGGCA TTTCCGTCGTTCGAGGTGGAGTCATTGCAGGTCACACCAAATGACCATGCAA

ATGCCAGAGCATTTTCGCACCTGGCTACCAAATTGATCGAGCAGGAGACTGA
CAAAGACACACTCATCTTGGAT (SEQ ID no: 7) generated from
pSFVI with primers SAL-SFV having the nucleotide
sequence 5'-TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no:
5) and ECO-SFV having the nucleotide sequence 5'-

TCCACCTCCAAGATATCCAAGATGAGTGTG (SEQ ID no: 6). The resulting plasmid pMP38 was then restricted with EcoRV and BamHI and then dephosphorylated. Plasmid pSFV1 link (see copending application no. (b/o 1038-766)) was then restricted with SpeI and ligated to the hepatitis delta ribozyme (Fig. 5, SEQ ID nos: 2 and

The ligation reaction product was then restricted with EcoRV to release the SFV replicon plus the ribozyme having the nucleotide sequence as outlines in Figures 6A to 6C. This fragment was then ligated to the EcoRV/BamHI restricted pMP38 to produce pMP42. The

25

;11-13-98 ; 3:46PM ;

RSV F gene fragment was released from pMP37 by restriction with BamHI, and this fragment was ligated into the BamHI site of pMP42 to produce pMP44. nucleotide sequence of pMP44 is shown in Figures 3A to 3E.

EXAMPLE 3

Table I:

This Example describes the immunization of mice with pMP44 and the immunogenicity results obtained.

BALB/C mice were immunized with plasmid pMP44 by the intramuscular (i.m.) route. The anterior tibialts 10 muscles of six BALB/C mice were bilaterally injected with 2 x 100 μ g of plasmid pMP44. This amount is equivalent to approximately 94µg of a conventional vector, based on copy number. These mice were boosted in an identical manner 4 weeks later. 15 The control group was immunized with 2 x 25 μg of SFV-RSV F RNA as described my aforementioned United in Application No. 08/923,558, except that the muscles pre-treated with cardiotoxin. not 20 immunization protocol is set forth in the following

Table 1 Immunization protocol

Group	Prime	Route of	Boost	Route of
		Inoculation		Inoculation
7	CERT DOTTE DNAT	Totromissonilar	CONTRACTOR DATA	Tetropos

- 25 SFV-RSVF RNA' Intramuscular SFV-RSVF RNA' Intramuscular pMP44 DNA2 Intramuscular pMP44DNA2 Intramuscular Mice were inoculated with:
 - $25\mu g$ of RNA was injected into each hind leg muscle in 50 μL of PBS
- 30 100 μg of DNA was injected into each hind leg muscle in $50\mu L$ of PBS

26

Sera was obtained from the mice at 4 and 6 weeks. Anti-RSV F antibody titres (IgG) in these sera were determined by enzyme-linked immunosorbent assay (ELISA), as described in Example 3.

- The anti-RSV F IgG antibody response in the sera of the BALB/C mice are summarized in Figure 4. The mice immunized with the DNA construct, pMP44, had higher anti-F titres than the mice immunized with the SFV-RSV F RNA.
- Two weeks after the second immunization, mice were challenged intranasally with 10° plaque forming units (pfu) of the Al strain of RSV (BG-4A). Animals were sacrificed 4 days later. Lungs were asceptically removed, weighed, and homogenized in 2 mL of complete culture medium. The virus titre in lung homogenates was determined in duplicate using vero cells, as previously described (ref. 41).

As seen in Table 2 below, immunization of mice with pMP44 DNA protected mice (5/6) against live RSV challenge, in contrast to the lack of protection when immunization with SFV-RSV F RNA was effected. This result contrasts with the complete protection which is obtained using SFV-RSV F RNA as described in U.S. Patent Application Nos. 08/923,558, 08/476,397 and 08/896,500 where the results show protection after pretreatment with cardiotoxin.

Table 2

	Gronb	Immunogen		Mean Virus Lung Titre	
		Prime	Boost	(log10/g+s.d) %	Protection
30					
	1	SFV-RSVF RNA	SFV-RSVF RNA	4.26	٥
	2	pMP44 DNA	pMP44DNA	2,12*	83

20

25

30

27

* Limit of detection = 1.8

EXAMPLE 4

This Example describes the determination of anti-RSV F antibody titres.

Nunc-MaxiSorp plate wells were coated overnight at room temperature with 2.5 ng of immunoaffinity-purified RGV F protein diluted in 0.05M carbonate-bicarbonate buffer, pH 9.6. Wells were blocked for non-specific binding by adding 0.1% BSA in PBS for 30 min. at room temperature, followed by two washes in a washing buffer of 0.1% BSA in PBS + 0.1% Tween 20. Serial two or four-fold dilutions of mouse serum was added to the After a one hour incubation at room temperature, plates were washed five times with washing and horseradish peroxidase (HRP) conjugate was added at the appropriate optimal dilution in washing buffer. The total IgG assay used F(ab'), goat antimouse IgG (H+L specific) - HRP from Jackson Immuno Research Laboratory Inc. (Baltimore, MD, USA). anti-mouse IgG1-HRP from Serotec (Toronto, Ontario, Canada) was used in the IgG1 assay and goat anti-mouse IgG2a from Caltag Laboratories Francisco, CA, USA) was used in the IqG2a assay. Following one hour incubation at room temperature, the plates were washed five times with washing buffer, and hydrogen peroxide (substrate) in the presence of tetramethylbenzidine was added. The reaction was stopped by adding 2 M sulfuric acid. The colour was read in a Multiscan Titertek plate reader at an optical density (OD) of 450 nm. The titre was taken as the reciprocal of the last dilution at which the OD was

28

approximately double. This OD must be greater than the negative control of the assay at the starting dilution. The pre-immune serum of each animal was used as the negative control.

SUMMARY OF THE DISCLOSURE

In summary of this disclosure, the present invention provides certain novel alphavirus derived DNA vectors containing genes encoding RSV F or RSV G proteins, or other paramyxovirus proteins, methods of immunization using such vectors and methods of diagnosis using such vectors. Modifications are possible within the scope of this invention.

29 REFERENCES

:11-13-98 ; 3:48PM ;

- McIntosh K. and Chanock R.M. in Fields B.N. and Knipe D.M. (eds). Virology. Raven Press, New York, 1990, pp.1045-1072.
 - 2. Murphy B.R., Hall S.L., Kulkarni A.B., Crowe J.E., Collins P.L., Connors M., Karron R.A. and Chanock R.M., Virus Res 32, 13-36, 1994.
- Osterweil D. and Norman D., Am Geriat Soc 36, 659-662, 1990.
- 4. Agius G., Dindinand G., Biggar R.J., Peyre R., Vaillant V., Ranger S., Poupet: J.Y., Cisse M.F. and Casters M., J Med Virol 30, 117-127, 1990.
- 5. Katz S.L. in New vaccine development establishing priorities Vol 1. National Academic Press, Washington, 1985, pp. 3974 09.
 - 6. Wertz G.W. and Sullender W.M., Biotechnology 20, 151-176, 1992.
- 7. Fulginiti V.A., Eller J.J., Sieber O.F., Joyner J.W., Minamitani M. and Meiklejohn G., Am i Epidemiol 89, 449-463, 1969.
- 8. Chin J., Magoffin R.L., Shearer I.A., Schieble J.H. and Lennette E.H., Am J Epidemicl 89, 449-463, 1969.
- Belshe R.B., Van Voris L.P. and Mufson M.A., J Infect Dis 145, 311-319, 1982.
 - 10. Kim R.M., Arrobio J.O., Pyles G., Brandt C.D., Camargo E., Chanock R.M. and Parrott R.H., Pediatrics 48, 745-755, 1971.
- 40 11. Gruber C. and Levine S., J Gen Virol 64, 825-832, 1983.
 - 12. Olmstead R.A., Elango N. and Prince G.A., Proc Natl Acad Sci USA 83, 7462-7466, 1991.

45

;11-13-98 ; 3:49PM ;

- 13. Parrington M., Cockle S., Wyde P., Du R.-P., Snell E., Yan W.-Y., Wang Q., Gisonni L., Sanhueza S., Ewasyshyn M. and Klein M., Virus Genes 14, 65-74, 1997
- 5
 14. Fulginiti, V.A., Eller, J.J., Sieber, O.F., Joyner, J.W., Minamitani, M. and Meiklejohn, G. (1969)
 Am. J. Epidemiol. 89 (4), 435-448.
- 10 15. Chin, J., Magoffin, R.L., Shearer, L.A., Schieble, J.H. and Lennette, E.H. (1969) Am. J. Epidemiol. 89 (4), 449-463.
- 16. Jensen, K.E., Peeler, B.E. and Dulworth, W.G. (1962) J. Immunol. 89, 216-226.
- 17. Murphy, B.R., Prince, G.A., Collins, P.L., Van Wyke -Coelingh, K., Olmsted, R.A., Spriggs, M.K., Parrott, R.H., Kim, H.-Y., Brandt, C.D. and Chanock, R.M. (1988) Vir. Res. 11, 1-15.
 - 18. Hall, S.L., Sarris, C.M., Tierney, E.L., London, W.T., and Murphy, B.R. (1993) J. Infect. Dis. 167, 958-962.
- 19. Belshe, R.B., Karron, R.A., Newman, F.K., Anderson, E.L., Nugent, S.L., Steinhoff, M., Clements, M.L., Wilson, M.H., Hall, S.L., Tierney, E.L. and Murphy, B.R. (1992) J. Clin. Microbiol. 30 (8), 2064-2070.
- 30
 20. Hall, S.L., Stokes, A., Tierney, E.L., London, W.T., Belshe, R.B., Newman, F.C. and Murphy, B.R. (1992) Vir. Res. 22, 173-184.
- 35 21. Van Wyke Coelingh, K.L., Winter, C.C., Tierney, E.L., London, W.T. and Murphy, B.R. (1988) J. Infect. Dis. 157 (4), 655-662.
- 22. Ray, R., Novak, M., Duncan, J.D., Matsuoka, Y. and Compans, R.W. (1993) J. Infect. Dis. 167, 752-755.
 - 23. Ray, R., Brown, V.E. and Compans, R.W. (1985) J. Infect. Dis. 152 (6), 1219-1230.

1 2 2

45 24. Ray, R. and Compans, R.W. (1987) J. Gen. Virol. 68, 409-418.


31

:11-13-98 ; 3:49PM ;

- 25. Ray, R., Glaze, B.J., Moldoveanu, Z. and Compans, R.W. (1988) J. Infect. Dis. 157 (4), 648-654.
- 26. Ray, R., Matsuoka, Y., Burnett, T.L., Glaze, B.J. and Compans, R.W. (1990) J. Infect. Dis. 162, 746-749.
 - 27. Ray, R., Glaze, B.J. and Compans, R.W. (1988) J. Virol. 62 (3), 783-787.
- 10
 28. Ewasyshyn, M., Caplan, B., Bonneau A.-M., Scollard, N., Graham, S., Usman, S. and Klein, M. (1992)
 Vaccine 10 (6), 412-420.
- 15 29. Ambrose, M.W., Wyde, P.R., Ewasyshyn, M., Bonneau, A.-M., Caplan, B., Meyer, H.L. and Klein, M. (1991) Vaccine 9, 505-511.
- 30. Kasel, J.A., Frank, A.L., Keitel, W.H., Taber, L.H., Glezen W.P. J. Virol. 1984; 52:828-32.
 - 31. Lehman, D.J., Roof, L.L., Brideau, R.J., Aeed, P.A., Thomsen, D.R., Elhammer, A.P., Wathen, M.W. and Homa, F.L. (1993) J. Gen. Virol. 74, 459-469.
- 32. Brideau, R.J., Oien, N.L., Lehman, D.J., Homa, F.L. and Wathen, M.W. (1993) J. Gen. Virol. 74, 471-477.
- 30 33. Ebata, S.N., Prevec, L., Graham, F.L. and Dimock, K. (1992) Vir. Res. 24, 21-33.
 - 34. Hall, S.L., Murphy, B.R. and Van Wyke Coelingh, K.L. (1991) Vaccine 9, 659-667.
- 35. Strauss E.G. and Strauss J.H., in Schlesinger S.S. and Schlesinger M.i. (eds). The Togaviridae and Flaviviridae.

 Plenum Press, New York, 1986, pp.35-90.
- 40
 36. Chapman, B.S.; Thayer, R.M.; Vincent, K.A. and Haigwood, N.L., Nucl. Acids. Res. 1991, 19: 3979-3986.
- 45 37. Breathnack, R. and Harris, B.A., Nucl. Acids Res. 1983, 11: 7119-7136

- 38. Nabel, G.J. 1993, Proc. Natl. Acad. Sci. USA 90: 11307-11311.
- 5 39. Tang et al., Nature 1992, 356: 152-154
 - 40. Furth et al. Analytical Biochemistry, 1992, 205: 365-368
- 41. Prince, G.A. et al, Am. J. Pathol. 93, 771 to 790, 1978.



2/16

;11-13-98 ; 3:50PM ;





Fig 1 B



;11-13-98 ; 3:51PM ;

Link

FIX 10






FIG 10

Figure-1 Construction of pMP44



f14. 24

The first state the property of the first state of



;11-13-98 ; 3:52PM ;

feg. 24

Figure 3 Nucleotide sequence of plasmid pMP44

togogogttt cggtgatgac ggtgaaaacc totgacacat gcagetcecg gagacggtca 60 cagettytet gtaageggat geogggagea gacaageeeg teageggegeg teagegggtg 120 ttqqcqqqtq tcqqqqctqq cttaactatq cqqcatcaqa qcaqattqta ctqaqaqtqc 180 🛞 accatatgcg gtgtgaaata ccgcacagat gcgtaaggag aaaataccgc atcagattgg 240 ctattggcca tigcatacgt tgtatccata tcataatatg tacatttata tiggctcatg 300 tocaacatta cogocatgtt gacattgatt attgactagt tattaatagt aatcaattac 360 ggggtcatta gttcataggc catatatgga gttccgcgtt acataactta cggtaaatgg 420 desgeotyge tyaccyccca acyacceccy cocattyacy toaataatga cytatyttee 480 catagtaacg ccastaggga ctttccattg acgtcaatgg gtggagtatt tacggtaaac 540 tgcccacttg gcagtacatc aagtgtatca tatgccaagt acgccccta ttgacgtcaa 600 tgacggtaaa tggcccgcct ggcattatgc ccagtacatg accttatggg actttectac 660 ttggcagtac atctacgtat tagtcatcgc tattaccatg gtgatgcggt tttggcagta 720 catcaatggg cgtggatage ggtttgactc acggggattt ccaagtctcc accccattga 780 ogicaetggg agittgitt ggcaccasas tosacgggac titcosasat giogisacas 840 ctccgcccca tigacgcaaa tgggcggtag gcgtgtacgg tgggaggtet atataagcag 900 agetegitta gigaacegic agategocig gagacgecat ccaegetgit tigaceteca 960 taqaaqacac cgggaccgat ccagcctccg cggccgggaa cggtgcattg gaacgcggat 1020 teccegigee aagagtgacg taagtacege ctatagacte tataggeaca cecettigge 1080 tettatgeat getatactgt ttttggettg gggeetatac acceeegett cettatgeta 1140 taggtgatgg tatagettag cetataggtg tgggttattg accattattg accaetecee 1200 tattggtgae gatactttee attactaate cataacatgg etetttgeca caactatete 1260 tattggctat atgccaatac tctgtccttc agagactgac acggactctg tatttttaca 1320 ggatggggte ocatitatta titacaaatt cacatataca acaacgccgt cccccgtgcc 1380 egeagittit attazacata gegigggate tecaegegaa tetegggize gigticegga 1440 catgggetet teteeggizag eggeggaget tecaeateeg ageeetggic coatgectee 1500 ageggeteat ggtegetegg cageteettg etectaacag tggaggecag acttaggeac 1560 agcacaatgo coaccaccac cagtgtgccg cacaaggccg tggcggtagg gtatgtgtct 1620 gasaatyago giggagatig ggotogoacg goigacgoag aiggaagaci taaggoagog 1680 gosgmagaag atgeaggeag etgagttgtt gtattetgat aagagteaga ggtaacteee 1740 gttgcggtgc tgttaacggt ggagggcagt gtagtctgag cagtactcgt tgctgccgcg 1800 cgcgccacca gacataatag ctgacagact aacagactgt tcctttccat gggtcttttc 1860 cgatectgag aacttonggg tgagtttggg gaccettgat tgttetttet tittegetat 1920 tytemaatto atgitatatg gagggggcaa agtittoagg gigtigtita gaatgggaag 1980 atgreectty tateaccaty gacceteaty ataatttty tretteact tretactety 2040 tryacaacca trytecete tratttett treatttet granetttt cytracact 2100 tagetrycat trytaacca trytaacca trittaaatt caertttyt tatttyteng attytaagta 2160 ctitotetaa toactititi ticaaggoaa toagggtata tiatatigta citoagoaca 2220 gitttagaga acaattgits taattaaatg ataaggtaga atatticigc atataaattc 2280 tggctggcgt ggaaatattc ttattggtag aaacaactac atcetggtca tcatcctgcc 2340 tttetetta tegitacaat gatatacact gittgagatg aggataaaat actetgagte 2400 casacoggge cootetgets accatgttes tgeettette tittteetse ageteetggg 2460 caacgigetg gitatigige igicicatea titiggeaaa gaatigiaat acgaeteact 2520 atagggegaa ttgtcacegt egtegacatg geggatgtgt gacatacacg acgccaaaag 2580 attttgttec agetectgec accteegeta egegagat taaccacca egatggeege 2640 casagigeat gitgatatig aggetgacag eccaticate aagteitige agaaggeatt 2700 tecgtegtte gaggtggagt cattgcaggt cacaccamat gaccatgcam atgccagage 2760 attitogoac otggetacca aattgatoga goaggagact gacaaagaca cactoatett 2820 ggstategge agtgegeett ccaggagaat gatgtetacg cacaaatace actgegtatg 2880 centatgege agegeagaag acceegaaag getegatage taegeaaaga aactggeage 2940 ggootcoggg aaggtgotgg atagagagat cgcaggaaaa atcaccgacc tgcagaccgt 3000 catggetacg ccagacgetg aatotectae ettttgeetg catacagacg tcacgtgtcg 3060 tacggcagec gaagtggccg tataccagga cgtgtatgct gtacatgcac caacategct 3120 graceateag gegatgamag grigtemamae ggegrattig attigggrittig acaceacee 3180 grittatgritt gaegegetag eaggegegta tecaacetae gecaemaet gggeegaega 3240

1

i litaria eri beli ilitara de selle dilitata de manda de

8/16

	acadatatta	caggccagga	acataggact	gtgtgcagca	tccttgactg	agggaagact	3300
	COCCASACTO	tocattotoc	CCAACAACCA	attgaaacct	tgcgacacag	teatgttctc	3360
	cotacoatet	acattotaca	CtGAGAGCAG	aaagctactg	aggagetege	acttaccete	3420
	cotattocac	ctoaascota	aacaatcett	tacctgtagg	tgcgatacca	togtatoatg	3480
	tosacoutac	gtagttaaga	asstcactst	gtgccccggc	ctgtacggta	aaacggtagg	3540
	atacaccata	acqtatcacq	cggagggatt	cotagtgtgc	aagaccacag	acactgtcaa	3600
	ACCACANACCA	gtctcattcc	ctgtatgcac	ctacgtcccc	tcasccatct	gtgatcasat	3660
	gactogcata	ctagggaccg	acgtcacacc	ggaggacgca	cageagttgt	tagtgggatt	3720
	gaatcasagg	atagttgtga	acggaagaac	acagogaaac	actaacacga	tgaagaacta	3780
	tetgetteeg	attgtggccg	tegestttag	cesatadaca	agggaataca	aggcagacct	3840
	tgatgatgas	maacctctgg	gtgtccgaga	gaggtcactt	acttgctgct	gcttgtgggc	3900
	atttaaaacg	aggaagatgc	acaccatgta	caagaaacca	gacacccaga	caatagtgaa	3960
	ggtgecttea	gagtttaact	cottogtcat	cccgagccta	tggtctacag	gcctcgcaat	4020
	cccaqtcaga	tcacgcatta	agatgetttt	ddccaadaad	acceagegag	agttmatacc	4080
	tottctcgac	gcgtcgtcag	ccagggatgc	tgaacaagag	dadawadada	ggttggagge	4140
	cgagetgact	agagaagcct	taccacccct	egtecceate	åcaccåacåå	agacgggagt	4200
	egtegacgte	gacgttgaag	aactagagta	tcacgcaggt	gcaggggtcg	tggaaacacc	4260
	togeagegeg	ttgaaagtca	ccgcacagec	gaacgacgta	ctactaggas	attacgtagt	4320
	tetatecceg	cagacogtgo	tcaagagctc	caagttggcc	cccgtgcacc	ctctagcaga	4380
	gcaggtgaaa	ataataacac	ateacgggag	daccdacaar	taccaggtcg	acggatatga	4440
	cggcagggtc	ctactaccat	gtggætcggc	catteeggte	cctgagtttc	aagetttgag	4500
	cdsdadcdcc	actatggtgt	acaacgaaag	ggagttcgtc	*scaddssac	tataccatat	4560
	tgccgttcac	ddaccdrcdc	tgaacaccga	cgaggagaac	tacgagaaag	tcagagctga	4620
•	aagaactgac	geegagtacg	tgttcgacgt	agataaaaa	tgctgcgtca	agagagagga	4080
	agegtegggt	tragtatrag	radagagaget	aaccaacccc	cederceard	aattegesta	4000
,	carradaacea	aagatcaggc	cgreggeace	atataagact	acagtagtag	gagtetttgg	4860
5	åårraaåääs	readdeasdr	ccyccaccac	eatestteen	gryascaaac arcataraa	acgatetggt	4920
•	caccagegge	ಕಳನೆರಳನೆಗೆ ಪಗೆ ಬ	accycuayym acaeteacte	catagetacts	eecgryaayo	egcacegegg cytogtgeegt	4980
	gaaggggaca	*Artayyyaaa	acaytyacte	ttaccettca	. antyggeger	tggccctaat	5040
	tostettatt	tarytygery aparetesas	researcest	ottatocooa	gacccaag	aatgoggatt	5100
ŧ	cttcaatato	atocaoctta	aggtgaactt	caaccacaac	atctccactc	aagtatgtca	5160
	tasasotata	tecagacott	gcacgcgtcc	actcacocc	atcototota	cgttgcacta	5220
	CGGAGGGAAG	atococacoa	ccaacccct	CABCALACCO	ataatcata	, scaccacagg	5280
	acagaccaag	CCCAAGCCAG	gagacategt	gttaacatgo	tteegagget	gggcaaagca	5340
	getgeagttg	gactacogto	gacacgaagt	catgacagca	geageatete	: agggeeteac	5400
	ccccaaaggg	gtatacgccc	taaggcagaa	ggtgaatgaa	aatcccttgi	atgecetge	5460
	gteggageac	gtgaatgtad	tgetgaegeg	cactgaggat	: aggctggtgl	ggaaaacgct	5520
	ggccggcgat	coctggatta	aggtectate	: aaacattcca	cagggtaact	ttacggccac	5580
						gaccggctgc	
	gcctgtggac	: gcgttccaga	a acaaagcgas	. cgtgtgttgg	gcgassagc	c tggtgcctgt	5700
	cctggacact	: geeggaate:	a gattgacago	: agaggagtgg	, agcaccata:	. ttacagcatt	5760
						a ccaegtacts	
						t attacgagas	
	caaccactgg	, gataacaga:	c ctggtgga a g	ı gatgtatgg:	ı ttcaatgcc	g caacagetge	: 5940
						a agcaggcagt	
						c ctatcaaccq	
						a gggttgagtd	
						a acctggctti	
						g ataggtget:	
	cgacctaagt	ttaggactg	e edderdsed	e eggeaggtt	c gacriggic	t ttgtgaacat	6300
	tcacacgga	troagaato	c accactacco	a gcagtgtgt	c gaccacgec	a tgaagetge	6350
	gatgettgg	a daratracă	e caegacege:	L casterens	. dåestettä	a tgagagetta	1 0420
	tucaarare,	. yarassasu . ttannonnon	a yeyaayesg: a attatatate:	t tyttteete	- craagcaga	a agttotogto t tgotgttoto	# 045U
	Cascttta.	i wyddaasa. G cradaachas.	a weedestates	r ceyvested	a yanyiyitt	a agotgagtgo	- ECAN
						a gagttaags	
	-2-2-4-40	_ 32-32				a dedrivedati	3 0000

;11-13-98 ; 3:53PM ;

agcagacata gocacqtgca cagaagcggc tgtggttaac gcagctaacg cccgtggaac 6720 tgtaggggat ggcgtatgca gggccgtggc gaagaaatgg ccgtcagcct ttaagggagc 6780 aguaecadea gtgggeedaa ttaaaacagt catgtgegge tegtaceeeg teatgeacge 6840 tgtagogoct aattictotg coacgactga agoggaaggg gaccgogaat tggccgctgt 6900 ctaccoggica gtagococco augtanacas actisticatis ascassistas controcest 6960 gstytecaca ggagtgttca geggeggaag agataggetg cageaatece teaaccatet 7020 atteacages atggeogeca eggacgetga egtgaceate tactgeagag acassagete 7080 ggagaagaaa atccaggaag ccattgacat gaggacggct gtggagttgc tcaatgatga 7140 cgtggagetg &cc&cagact tggtgagagt gcacccggac agcagectgg tgggtegtax 7200 gggctacagt accactgacg ggtcgctgta ctcgtacttt gaaggtacga aattcaacca 7260 ggotgotatt gatatggoag agatactgac gttgtggooc agactgoaag aggoaaacga 7320 acagatatgo etatacgogo tgggogaaac aatggacaac atcagateca aatgtocggt 7380 gazcgattcc gattcatcaz cacctcccag gacagtgccc tgcctgtgcc gctacgcaat 7440 gacagoagaa cagatogoco goottaggto acaccaagtt aaaagcatgg tggtttgoto 7500 atottttcco ctcccgazat accatgtaga tggggtgcag aaggtaaagt gcgagaaggt 7560 totootgtus gaccogacgg tacetteagt ggttagteeg eggaagtatg cogcatetae 7620 gacggaccae tragatoggt ogttacgagg gtttgacttg gactggacca cogactogte 7680 ttocactgoc agogatacca tgtogotaco cagtttgcag togtgtgaca togactogat 7740 ctacgageca atggetecca tagtagtgae ggetgaegta caccetgaac cegeaggeat 7800 egeggaccag geggcagaty tycaccetga accegcagae catytygace tegagaacce 7860 gattesteek cogegeoga agagagetge atacettgee teeegegeg eggagegace 7920 ggtgccggcg ccgagaaagc cgacgcctgc cccaaggact gcgtttagga acaagctgcc 7980 tttgacqttc ggcgactttg acgagcacga ggtcgatgcg ttggcctccg ggattacttt 8040 cggagacttc gacgacgtcc tgcgactagg ccgcgcgggt gcatatattt tctcctcgga 8100 cactggcage ggacatttac aacaaaaate cgttaggcag cacaatetee agtgcgcaca 8160 actqqatgcg gtccaggagg agaaatgta cccgccaasa ttggatactg agagggagaa 8220 gotýttyoty otymamatyc měntychoce mtegynégot matangagte gataceagte 6280 tegessagtg gagaacatga aageeaeggt ggtggacagg etcacategg gggeeagatt 8340 gtacacggga goggacgtag gocgcatacc macatacgcg gttcggtacc coegccccgt 8400 gtactcccct accgtgatcg mangattote macatacgcg gtagcantcg cagogtgcam 8460 cgastaccta tecagasatt acceaseagt ggcgtcgtac cagataacag atgastacga 8520 egeatacttg gacatggttg aegggtegga tagttgettg gacagagega cattetgeee 8580 ggcgaagete eggtgetace egaaacatea tgcgtaceae eageegactg tacgcagtge 8640 egiccegica ecetiteaga acacactaca gaacgigeta geggeegeca ecaagagaaa 8700 ctgcaacgtc acgcaaatgc gagaactacc caccatggac tcggcagtgt tcaacgtgga 8760 gtgottomag ogetætgeet getcoggagm atattgggmm gamtætgetm amemmetat 8820 coggataaco actgagaaca toactacota tgtgaccaaa ttgaaaggco cgaaagctgo 8880 tgccttgttc gctaagaccc acaacttggt tccgctgcag gaggttccca tggacagatt 8940 cargotrogan atgassogan atginaaant cartorangg argamanan cananggasan 9000 acccasagic caggiaatic aagcagogga gocattggog accgottaco tgigoggoat 9060 ccacagggaa ttagtaagga gactaaatgc tgtgttacgc cctaacgtgc acacattgtt 9120 tgatatgtcg gccgaagact ttgacgcgat catcgcctct cacttccacc caggagaccc 9180 ggttctagag acggacattg catcattcga casaagccag gacgactcct tggctcttac 9240 aggittaatg atcotogaag atctaggggt ggatcagtac ctgctggact tgatcgagge 9300 agostttggg gaaatateca getgteacet accaactgge acgegettea agtteggage 9360 tatgatgana tegggeatgt ttetgaettt gtttattaac actgttttga acateaceat 9420 agcaagcagg gtactggage agagacteae tgacteegee tgtgeggeet teateggega 9480 cgacaacate gttcacggag tgatetcega caagetgatg geggagaggt gegegtegtg 9540 ggtcascatg gaggtgaaga tcattgacgc tgtcatgggc gasaaacccc catatttttg 9600 tgggggatte atagtttttg acagegteac acagacegee tgeegtgttt cagacecact 9660 taagegeetg ttesagttgg gtaageeget aacagetgaa gacaageagg acgaagaeag 9720 gegacgagea etgagtgaeg aggttageaa gtggtteegg acaggettgg gggcegaact 9780 ggaggtggca ctaacatota ggtatgaggt agagggutgc aasagtatec teatagccat 9840 ggccaccttg gcgagggaca ttaaggcgtt taagsaattg agaggacctg ttatacacct 9900 ctacggcggt cctagattgg tgcgttaata cacagaattc tgattggatc atagcgcact 9960 attataggat cogogogogo gaattoggos ogagtascaa tggagttgot aatcotoaaa 10020 geneatgees traceacest coreactges greatettt grittgette tggresset 10080

;11-13-98 ; 3:54PM ;

atcactqaag aattitatca atcaacatge agtgcagtta gcaaaggota tottagtgot 10140 ctqaqaactg gttggtatac cagtgttata actatagaat taagtaatat caaggaaaat 10200 aagtgtaatg gaacagatgc taaggtaaaa ttgataaaac aagaattaga taaatataaa 10260 aatgotgtaa cagaattgca gttgotoatg caaagcacac cagcagcaaa caatcgagco 10320 agaagagaac taccaaggtt tatgaattat acactcaaca atgccaaaaa aaccaatgta 10380 acattaagca agaaaaggaa aagaagattt cttggttttt tgttaggtgt tggatctgca 10440 atogocagtg gegttgetgt atotaaggto otgoacetag aaggggaagt gaacaagato 10500 assagtgete tactateese assessget gtagtesget tatessatgg agttagtgte 10560 ttaaccagca aagtgttaga cctcaaaaac tatatagata aacaattgtt acctattgtg 10520 ancaagcasa getgeagest atcaastata gasactgtga tagagtteea acaaaagsac 10680 aacagactac tagagattac cagggaattt agtgttaatg caggtgtaac tacacctgta 10740 aggacttaca tgttaactaa tagtgaatta ttgtcattaa tcaatgatat gcctataaca 10800 aatgatcaga aaaagttaat gtccaacaat gttcaaatag ttagacagca aagttactct 10860 atcatgtcca taataaaaga ggaagtotta gcatatgtag tacaattacc actatatggt 10920 gttatagata caccotgttg gasactacac acatececte tatgtacaac caacacaaaa 10980 gaagggtcca acatotgttt aacaagaact gacagaggat ggtactgtga caatgcagga 11040 tragtatott tottorcaca agotgaaaca tgtaaagtto aatcaaatcg agtattttgt 11100 gacacaatga acagtttaac attaccaagt gaaataaatc totgcaatgt tgacatattc 11160 🌬 aaccccaaat atgattgtaa aattatgact tcaaaaacag atgtaagcag ctccgttatc 11220 🕮 acatototag gagocattgt gtoatgotat ggoawaacta aatgtacago atocaatawa 11280 🚍 aategtggaa teataaagae attttetaae gggtgegatt atgtateaaa taaagggatg 11340 🔟 gacactgtgt ctgtaggtma cacattatat tatgtamata agcamgangg tammagtete 11400 📮 tatgtaaaag gtgaaccaat aataaattto tatgacccat tagtattccc ctctgatgaa 11460 🇊 tttgatgcat caatatctca agtcaacgag aagattaacc agagcctagc atttattcgt 11520 maatccgatg aattattaca taatgtaaat gctggtaaat ccaccacaaa tatcatgact 11580 tgateatgag gatecagate cogggtaatt aattgaatta catecetacg caaacgittt 11640 🚂 acggeógéeg giggegeesg egeeeggegg coegiceitg geegitgeag geeacicegg 11700 🚉 tggotocogt ogtocoogac ttocaggooc agoagatgoa goaactoato agogoogtaa 11760 atgogotgac aatgagacag aacgoaattg otootgotag gootcocaaa ccaaagaaga 11820 agangacano chanconnag cognanacyo agoconagan gatonacyga ananogongo 11880 agcaaaagaa gaaagacaag caagccgaca agaagaagaa gaaacccgga aaaagagaaa 11940 gaatgtgcat gaagattgaa aatgactgta tottogtatg oggotagooa cagtaacgta 12000 gtgtttccag acatgtcggg caccgcacta tcatgggtgc agaaaatctc gggtggtctg 12060 ggggcetteg caateggege tateetggtg etggttgtgg teacttgcat tgggeteege 12120 agataagtta gggtaggcaa tggcattgat atagcaagaa aattgaaaac agaaaaagtt 12190 agggtaagca atggcatata accataactg tataacttgt aacaaagcgc aacaagacct 12240 gogcaattgg cocceptggto ogcotoacgg aaactogggg caactoatat tgacacatta 12300 attggcaata attggaaget tacataaget taattegaeg aataattgga titttattit 12360 cacctecteg eggteegace tgggeateeg aaggaggaeg caegteeact eggatggeta 12540 agggagagat ceagatetge tgtgeettet agttgeeage catetgttgt ttgeecetee 12600 congrete correct graaggree acted acted toottoota ataaaatgag 12660 gaaattgcat ogcattgtot gagtaggtgt cattetatto tggggggtgg ggtgggcag 12720 gacagcaagg gggaggattg ggaagacaat agcaggcatg ctggggatgc ggtgggctct 12780 atgggtaccc aggtgctgaa gaattgaccc ggttcctcct gggccagama gaagcaggca 12840 cateccette tetgtgacac accetgteea egeccetggt tettagttee ageccaete 12900 ataggacact catageteag gagggeteeg cetteaatee caccegetaa agtaettgga 12960 goggtototo cotocotoat cagocoacoa aaccaaacot agootocaag agtgggaaga 13020 aattaaagca agataggcta ttaagtgcag agggagagaa aatgcctcca acatgtgagg 13080 aagtaatgag agamatcata gamtttotto ogottootog otcaetgact ogotgogoto 13140 ggtcgttcgg ctgcggcgag cggtatcagc tcactcamag gcggtamtac ggttatccac 13200 agaatcaggg gataacgcag gamagaacat gtgagcamma ggccagcama aggccaggaa 13260 ocgtassaag googogttgo tggogttttt costaggote ogcoccootg acgagostes 13320 caaaaatcga cgctcaagtc agaggtggcg aaacccgaca ggactataaa gataccaggc 13380 gtttecccct ggaagetece tegtgegete teetgtteeg accetgeege ttaceggata 13440 ectgtocgcc tttctccctt cgggaagegt ggcgctttct catageteac getgtaggta 13500

11//6

SIMBAS→

	teteagtteg	gtgtaggtcg	ttcgctccaa	actagactat	gtggacgaac	GCCCCCT† ca	13560
	geccaseeac	tgcgccttat	ccoctaacta	teatettasa	teracens	******	12200
	cttatcccca	ctggcagcag	ccactootea	cagnettage	Anannahani	resystated	13620
	toctacadad	trottgaagt	anterectas	organization	edededededer	ardraggegg	13680
	tatetecect	ctgctgaagc	Canttacett	CCCCGGCCCC	accegacyes.	cagtatttgg	13740
	Cadacaaacc	accgctggta	acantactt	ttttette	dreddeader	cttgatccgg	13800
	AAAAAAAAA	tetessess	goggeggeet	chicketer		rracgegeag	13860
	Cosenactos	totomagaag	accertigat	cettetacg	adarcrasca	ctcagtggaa	13920
	cetteteest	cgttaaggga	cttttt	gagattatea	easaggatet	tcacctagat	13980
	traceretter	tsassatgas	geretaaate	satctaaagt	atatatgagt	aaacttggtc	14040
	stocetract	caatgottaa	restrande	acctatotea	gcgatctgtc	tatttcgttc	14100
	testander	geotgactog	444444444	gegetgaggt	ctgcctcgtg	aagaaggtgt	14160
	cyccyaccea	taccaggeet	gaategeeee	atcatcoage	cagaaagtga	gggagccacg	14220
	arragrass.	<i>destedends</i>	aggtggacca	gttggtgatt	ttomactttt	getttgecac	14780
	dåssedee	acarrarad	gaagatgegt	gatetgatee	ttcaactcac	Chasagttc q	14340
	alltatte24	cassaccace	gtcccgtcaa	gtcagcgtaa	toctotocca	gtottacasc	14400
	CHACTAGCCA	attgtgatta	gaaaaactca	togageatea	aatgaaactg	Castttatte	14460
	Atticaggat	tatcaatacc	atattttqa	assagecatt	tototaatoa	AGGRGSSSS	14520
	resccasade	agriccatag	gatggcaaga	tectootate	ggtctgcgat	tecoactest	14590
	CCARCATCAA	tacaacctat	taatttcccc	tcgtcaaaaa	taaggttate	AACTCACCAA.	14640
	ccaccarded	rgacgactga	atccggtgag	aatoocaaaa	gettatocat	ttettteese	14700
	actigiteda	cadaccades	attacoctco	tcatcaasat	cacteggeatg	220222000	14760
	eracenarie	<i>aramrracae</i>	ctgagcgaga	coasatacoc	gategetatt	3325002055	14920
	ereczeneed.	Aeerchaweed.	carccadcac	addaacacto	ccadedeate	カカクススヤッナナナ	14000
	comerciante	Cayyeratto	TTCTESTACC	togsatocto	ttttccccccc	matenasates.	14040
	3.303.4000	wedentaged	203201900	atasastoct	testaateaa	326±6662++	15000
		Anned reces	rcrascate	tcatctotas	catcattane	#=caat-aat	18060
	A		CECEGGGGG	tegggettee	ウスヤルウェッナハル	******	12100
	3-8	ACCCC TEST	atcocoaacc	ごみててもませるので	matataases.		12100
	rrdäggerrrg	arcacaacci	CGSGCGGGC	atttcccatt	gaatet gaget	Cataacatta	15745
	Argress	rarraraca	#GC#G#C#GE	tttattottc	atgatgatat	3+++++a+a+	16900
	-a-a-merdr	werentraded	artttgagac	acsacotooc	tttccccccc	CCCCCS++++	12260
	-aranerer	arcagggtta	TTGTCCCATG	AGCGGATAC#	†9+++maa+m	+-++	15400
	TO COMMON TO	raddddrecc	3cacacattt	CCCCCCALDAG	torcaectes	~~* ~ +	15400
i	accattatta	tcatgacatt	Sacctatesa	aataggcgta	tcaccaccac	cttreate	15530

Figure 4: Anti-RSV F titres in sera from mice taken 4 weeks after priming and 2 weeks after boosting




Figure 5 Ribozyme linker for pMP42

The control of the section of the se

GCCCAGCCGTACCGTAGAGGTTGAGGAGGGCGCCAGGCTGGACCCGTAGGCTTCCTCCTGCGTGCAGGTGAGCCTACCGATTCCCTCTCTAAG CTAGCGGGTCGGCATGCCATCTCCACCTCCTCGCGGTCCCACCTGGGCATCCGAAGGAGGACGCACGTCCACTCGGATGGCTAAGGGAGA

ណ

Figure 6tSFV Eco RV-Spe I fragment ligated to ribozyme

atoggoaging opecitional gagasingsing totalogoads astacoading optatocodt 60 atgogoageg cagaagacco ogaaaggoto gatagotacg caaagaaact ggcageggee 120 teogggaagg tgetggatag agagategea ggaaaaatea eegacetgea gacegteatg 180 5 gotacgocag acgotgaato tectacottt tgoctgoata cagacgtcac gtgtcgtacg 240 gragergaag tggcogtata craggacgtg tatgctgtar atgraceaac atcgrtgtar 300 catcaggoga tgaaaggtgt cagaacggog tattggattg ggtttgacac caccecgttt 360 atgittgacy cyctagcagy cycytateca acetacycca caaactggyc cyacyagcag 420 gigtizeagg ccaggazoat aggacigtgt gcagcatect tgacigagg aagaciegge 480 10 asactyteca ttetecycaa gaayekatty aaacettycy acacayteat yttetegyta 540 ggztotacat tgtacactga gagcagaaag ctactgagga gctggcactt accctccgta 600 ttocacctga aaggtabaca atcetttacc tgtaggtgcg ataccatogt atcatgtgaa 660 gggtacgtag ttamgammat cactatgtgc cocggcotgt acggtmmac ggtagggtmc 720 gccgtgacgt atcacgcgga gggattccta gtgtgcaaga ccacagacac tgtcaaagga 780 gasagagtot cattecetgt atgeacetac gteceetcaa ceatetgtga teaaatgaet 840 ggratactag cyacogacgt cacaeogyag gaegcacaga agtigitagi gygattgaat 900 cagaggatag tigigaacgg aagaacacag cgaaacacta acacgaigaa gaactaicig 960 cttccgattg tggccgtcgc atttagcaag tgggcgaggg aatacaaggc agaccttgat 1020 gatgasasac ctotgggtgt cogagagagg tcacttactt gotgotgett gtgggcattt 1080 anaegagga agatgoacac catgtacaag anaccagaca cocagacaat agtgaaggtg 1140 ecttoagagt traactogtt ogtoatooog agoctatggt ctacaggoot ogcaatocca 1200 gtoagatoac geattaagat gettttggee aagaagaeea agegagagtt aatacetgtt 1260 ctogacgogt cytoagocag ygatgotgaa caagaggaga aggagaggtt ggaggocgag 1320 ctgactagag aagcettace acccetegte eccategege eggeggagae gggagtegte 1380 gaogtogaog tigaagaact agagtatoac goaggigcag gggtogigga aacacctogo 1440 agggcgttga aagtcaccgc acagecgaac gacgtactac tagyaaatta cgtagttetg 1500 toccogoaga cogtgotoaa gagotocaag tiggoccoog igcaccotot agcagagoag 1560 gtgaaaataa taacacataa cgggagggcc ggcggttacc aggtcgacgg atatgacggc 1620 agggteetae taccatgtgy ateggecatt ecgyteectg agtttcmage titgagegag 1680 agogocacta tggtgtacas ogasagggag ttcgtcasca ggasactata ccatattgcc 1740 gttcacqqac cytcgctgaa caccgacqaq gagaactacg agaaagtcag agctgaaaga 1800 actgacqccg agtacgtgtt cgacgtagat aaaaaatgct gcgtcaagag agaggaagcg 1860 toggyttigg tyttggtggg agagetaaco aaccccccgt tocatgaatt cycctacgaa 1920 gggctgaaga teaggccgtc ggcaccatat aagactacag tagtaggagt ctttggggtt 1980 35 cogggatcas scaastotse tattattaas ascotestsa coasacaesa totsytoace 2040 agugguaaga aggagaactg ccaggaaata gttaacgacg tgaagaagca ccgcgggaag 2100 Sygacaagta gggaaaacag tgactccatc ctgctaaacg ggtgtcgtcg tgccgtggac 2160 atoctatatg tggacgaggo tttogottge cattoogsta ototgotggo cotaattgot 2220 cttyttaaac cteggagcaa agtggtgtta tgeggagacc ccaagcaatg cggattette 2280 40 aatatgatge agettaaggt gaacttcaac cacaacatct gcactgaagt atgtcataaa 2340 agtatateca gacgttgcac gegtecagte acggecateg tgtetacgtt geactacgga 2400 ggraagatge geacgaccaa coogtgeaac aaacccataa teatagacac sacaggacag 2460 acceagocca agroaggaga catogtgtta acatgettee gaggetggge aaageagetg 2520 cagitggact acceptggaca cgaagtcatg acagcagcag catotcaggg cotcaccogo 2580 45 assagggstat acgccgtasg gcagaaggtg aatgasastc ccttgtatgc ccctgcgtcg 2640 gagcacgtga atgtactgct gacgcgcact gaggataggc tggtgtggaa aacgctggcc 2700 ggogatecet ggattaaggt cetateaaac attecacagg gtaactttac ggecacattg 2760 gasgaatggc asgasgaaca cgacaasata atgasggtga ttgasggacc ggctgcgcct 2820 gtggacgcgt tecagaacaa agcgaacgtg tgttgggcga aaagcctggt gcctgtcctg 2880 50 gacactgoog gaatcagatt gacagcagag gagtggagca ccataattac agcatttaag 2940 gaggacagag ettactetee agtggtggee ttgaatgaaa tttgcaccaa gtactatgga 3000 gttgacctgg acagtggcct gttttctgcc ccgaaggtgt ccctgtatta cgagaacaac 3060 cactgggata acagacetgg tggaaggatg tatggattca atgccgcaac agetgccagg 3120 ctggaageta gacatacett cetgaagggg cagtggcata egggcaagea ggcagttate 3180 55 gragatagas staterasce getttetgtg etggaratg tasttetat caseegeagg 3240 ctgddgcacg ccdtggtggc tgagtacaag acggttaaag gcagtagggt tgagtggctg 3300 gtcaatsaag taagagggta ccacgtcotg ctggtgagtg agtacaacct ggotttgcct 3360 cgacgcaggg teacttggtt gtcaccgctg aatgtcacag gcgccgatag gtgctacgae 3420

A4.06

and the second of the second o

15/16

	ctaagtttag	gactgccggc	tgacgcegge	aggttegact	tggtctttgt	gaacattcac	3480
			_				
		gaatccacca					
		atgegetacg					
	tacgccgata	aaatcagcga	ageogttgtt	tectecttes	gcagaaagtt	ctcgtctgca	3660
5		gcccggattg					
		gasagagacc					

	awarraces	cgtgcacaga	#Boddarara	accesed and	oreschooced	rageroracs	3900
		tatgcagggc					
10	aceccagtgg	graceattes	aacagtostg	tgcggctcgt	accogtost	ccacgctgta	4020
	gcgoctaatt	tototgocac	gactgaagcg	gaaggggacc	gcgaattggc	cgctgtctac	4080
		cegeegaagt					
		tgtteagegg					
		acgccacgga					
15	Aagaaaatee	aggaagccat	toacatoaco	acquetataq	agttgctcaa	toatoacoto	4320
	carcteages	cagacttggt	Cacactacac	CCCCCCCC	acetaataaa	tegtaagggg	4380
	3-30034004	ctgacgggtc	7-3-5-3-c-	**********	#t=======	C22000000	4440
i i	gecattykek	tggcagagat	antamont.	cagoccagao	-Acadesia	***********	AEEA
A. I		scacactaga					
20	gattccgatt	CATCARCACC	recedases	acaccecace	racaceaera	cgcaatgaca	4620
		tagecegeat					
222		cgazztacca					
Ţ	ctgttcgacc	cgacggtacc	ttcagtggtt	agtcogcgga	egtatgccgc	atctacgacg	4800
	gaccactcag	ateggtegtt	acgagggttt	gacttggact	ggaccaccga	ctegtettee	4860
25		ateccatgtc					
- Euralia		ctcccatagt					
	gacetggegg	cagatgtgca					
	cctccaccgc	gcccgaagag					
i.i.	ccaacacca	gaaageegae					
30₫	acatteaana	actttgacga					
Ø		ecgteetgeg					
200-249							
		atttecasca					
	Gardeaaree	aggaggagaa	werdereced	COMMERCE	acaccaagag	aavavacca	5400
35	cegeegeega	aastgcagat	GOWCCOFFCG	2 dadacrescs	agagregata	ccedccccdc	5450
33	aaagrggaga	acatganage	cecaaraaca	gadaggotca	carcadaaaa	cagattgtac	5520
	redadadead	acgraggeeg	CATACCARCA	racgoggttc	aarsccccca	coccatate	5580
	cccccracca	tgatcgaaag	atteteaage	cccdstated	castegeage	gtgcaacgaa	5640
	TACCTALCCA	geasttaccc	aacagtggcg	tegtaceaga	taacagatga	atacgacgca	5700
40	tacttggaca	tggttgæcgg	gtoggatagt	tgcttggaca	gagegacatt	cracceaaca	5760
40	aageteeggt	gctacecgaa	acatcatgog	taccaccago	cgactgtacg	cagtgccgtc	5820
	cogtcaccct	ttcagaacac	actacagasc	gtgctagegg	ccgccaccaa	gagaaactgo	5880
	aacgtcacgc	aaatgegaga	actacccacc	atggactegg	cagtgttcaa	cgtggagtgc	5940
	tteaageget	*tgeetgete	cggagaatat	toggangaet	atoctaasca	acctatecco	6000
	ataaccacto	agaacatcac	tacctatoto	accasattos	35000000cc==	Acctortors	6060
45	ttetteecta	agecccaces	etteattea	ctornoon			6130
	otegacatga	aacgagatgt	CARROTCACE	2-20022002		regartracy	BIAU
	######################################	tasttcason	200002000		antecatega	agamagacco	PT80
	acaseettes	taattcaago	494534344E	- coggedaceg	Grewaceded	caacarccac	6240
		teaggagact	enargeryty	reacgeeca	wededesee	vecacesdae	6300
50	#rg cuggeeg	aagactttga	cacawreste	accecerere.	rccacceagg	*asscocaatr	6360
JU	cragagacgg	acattgcatc	arregacasa	saccadavca	actccttggc	tcttacaggt	6420
	trantgatee	togaagatot	*dääätäävt	cagtacetge	tggacttgat	cgaggcagcc	6480
	tttggggaaa	tatocagotg	tcacctacca	actggcacqc	getteaagtt	aggagetata	6540
	arganerogg	gcatgtttct	gactttgttt	attaacacto	ttttdaacat	Caccatagea	5500
	agcagggtac	tggagcagag	actoactoac	tecqeeters	Caacattast		5550
55	aacategtte	acggagtgat	ctccacesa	Ctoatoorom			573A
	aacatogaoo	tgaagatcat	tarcactate	322-23	-245357665	# rug	6770
	qqattcatac	ttttgacag	ころしておってからまっ			*******	8/80
	cacatatte	acttoonte-	-2		Aratrecate	COCHCTEAAG	5540
	CGRACACTOR	agttgggtaa	プートガイト#GC#	puryadgaca	-AceAdecar	agacaggcga	6900
	-3-3-6-536	gtgacgaggt	3-467.33	- cccವಿಡಿ ಇ ರಿಕಡೆ	3ccc33 33 3c	cgaactggag	6960

:11-13-98 : 3:58PM :

SIMBAS→

	gtggcactaa	catctaggta	tgaggtagag	ggctgczaaa	gtatecteat	agccatggcc	7020
	accttggcga	gggacattaa	ggcgtttaag	aaattgagag	gacctgttat	acacototac	7080
			ttaatacaca				
			atteattgae				
5			eggecegtee				
			cocagcagat				
			ttgetcotge				
			cgcagcccaa				
			aceageagea				
10			gtatettegt				
			ctatcatggg				
			gtgctggttg			- -	
			gatatagcaa				
1.5			ctgtataact	_			
15			oggaaacteg				
			gcttaattog	•	-		
-			AARRABAAR				

. 9	rededarecà	accededear.	ocdwaddagg	wedewed.ce	₩accoddwcdd	creedadads	8100
20□				,			
T.							
T							
I							
35							
- Jesă							
3							
ļoš.							
Child and the state of the third of the state of the stat							
II.							

3

the section of the se